



**INFORMATION CITED BY APPLICANTS THAT MAY BE MATERIAL
TO THE PROSECUTION OF THE SUBJECT APPLICATION**

Applicants: G.A. Demopoulos et al. Attorney Docket No: PH.1.0043.US
Serial No: 10/760,639 Group Art Unit: 1614
Filed: January 20, 2004 Examiner: Not yet assigned
Title: CARDIOVASCULAR COMPOSITIONS AND METHODS USING
COMBINATIONS OF ANTI-PLATELET AGENTS

U.S. PATENT DOCUMENTS

| *Examiner Initial | ID | Document No. | Date | Name |
|----------------------|------|--------------|------------|-------------------|
| BK | U1 | 4,504,493 | 03/12/1985 | Marshall et al. |
| | U5 | 5,051,443 | 09/24/1991 | Neufeld et al. |
| | U6 | 5,272,139 | 12/21/1993 | Cary |
| | U11 | 4,872,865 | 10/10/1989 | Bloebaum et al. |
| | U14 | 4,938,970 | 07/1990 | Hustead et al. |
| | U29 | 5,512,055 | 04/30/1996 | Domb et al. |
| | U37 | 5,370,614 | 12/06/1994 | Amundson et al. |
| | U38 | 5,336,178 | 08/09/1994 | Kaplan et al. |
| | U70 | 5,744,482 | 04/28/1998 | Cohen et al. |
| | U164 | 5,800,385 | 09/01/1998 | Demopoulos et al. |
| | U165 | 5,820,583 | 10/13/1998 | Demopoulos et al. |
| | U209 | 5,942,241 | 8/24/1999 | Chasin et al. |
| | U213 | 5,767,105 | 06/16/1998 | Peyman |
| | U272 | 5,858,017 | 01/12/1999 | Demopoulos et al. |
| | U273 | 5,860,950 | 01/19/1999 | Demopoulos et al. |
| | U274 | 6,210,394 | 04/03/2001 | Demopoulos et al. |
| | U275 | 6,242,447 B1 | 06/05/2001 | Demopoulos et al. |
| | U276 | 6,254,585 B1 | 07/03/2001 | Demopoulos et al. |
| | U277 | 6,261,279 B1 | 07/17/2001 | Demopoulos et al. |
| | U278 | 6,056,715 | 05/02/2000 | Demopoulos et al. |
| | U425 | 5,523,316 | 06/24/1996 | Gan et al. |

| | | | | |
|----|------|-----------|------------|------------------|
| BK | U491 | 6,413,961 | 07/02/2002 | Demopulos et al. |
| ↓ | U492 | 6,420,432 | 07/16/2002 | Demopulos et al. |
| ↓ | U553 | 5,624,893 | 04/29/1997 | Yanni |
| ↓ | U646 | 6,645,168 | 11/11/2003 | Demopulos et al. |

FOREIGN PATENT DOCUMENTS

| *Examiner Initial | ID | Document No. | Publication Date | Country | Translation <u>Provided</u> | |
|----------------------|-----|-----------------|---------------------|----------|--------------------------------|----|
| | | | | | Yes | No |
| BK | F1 | WO 95/16435 | 06/22/1995 | PCT | X | |
| | F2 | EP 0,364,266 A2 | 04/18/1990 | European | X | |
| | F7 | WO 92/04008 | 03/19/1992 | PCT | X | |
| | F8 | EP 0,351,755 | 01/24/1990 | European | X | |
| | F9 | WO 95/27482 | 10/19/1995 | PCT | X | |
| | F10 | WO 91/04058 | 04/04/1991 | PCT | X | |
| | F16 | WO 96/29074 | 09/26/1996 | European | X | |
| | F29 | WO 96/26738 | 09/06/1996 | European | X | |
| | F83 | EP 0,715,855 A2 | 06/12/1996 | European | X | |
| | F84 | EP 0,710,479 B1 | 01/07/1999 | European | X | |

OTHER INFORMATION

(Including Author, Title, Date, Pertinent Pages, Etc.)

| *Examiner Initial | ID | Document Information |
|----------------------|-----|---|
| BK | O05 | Naesh, O., et al., "Platelet activation in mental stress," <i>Clin. Physiol.</i> 13:299-307 (1993). |
| | O06 | Evans, R.G., et al., "Effects of 5-HT-receptor and alpha 2-androceptor ligands on the haemodynamic response to acute central hypovolemia in conscious rabbits," <i>Br. J. Pharmacol.</i> 109:37-47 (1993). |
| | O13 | Willerson, J.T., et al., "Specific Platelet mediators and unstable coronary artery lesions," <i>Circulation</i> 80:198-205 (1989). |
| | O19 | Moncada et al., "Prostaglandins, Prostacyclin Thromboxane A ₂ , and Leukotrienes," Chapter 28, <i>The Pharmacological Basis of Therapy</i> , L.S. Goodman, eds., 1985. |
| | O20 | Kessler, W., et al., "Excitation of cutaneous afferent nerve endings in vitro by a combination of inflammatory mediators and conditioning effect of substance P," <i>Exp. Brain Res.</i> 91:467-476 (1992). |
| | O23 | Levine, J.D., et al., "Desipramine enhances opiate postoperative analgesia," <i>Pain</i> 27:45-49 (1986). |

| | |
|----|--|
| BK | |
| | O26 Ringkamp, M., et al., "Activated human platelets in plasma excite nociceptors in rat skin, in vitro," <i>Neurosci. Lett.</i> 170:103-106 (1994). |
| | O33 Buzzi, M.G., et al., "5-Hydroxytryptamine receptor agonists for the abortive treatment of vascular headaches block mast cell, endothelial and platelet activation within the rat dura mater after trigeminal stimulation," <i>Brain Res.</i> 583:137-149 (1992). |
| | O37 Schwartz, M.M., et al., "Vascular leakage in the kidney and lower urinary tract: effects of histamine, serotonin and bradykinin," <i>Proc. Soc. Exp. Biol. Med.</i> 140:535-539 (1972). |
| | O39 Serruys, P.W., et al., "Evaluation of ketanserin in the prevention of restenosis after percutaneous transluminal coronary angioplasty; a multicenter randomized double-blind placebo-controlled trial," <i>Circulation</i> 88:1588-1601 (1993). |
| | O40 Cohen, B.M., et al., "Intracoronary cocktail infusion during rotational ablation: safety and efficacy," <i>Transcatheter Cardiovascular Therapeutics</i> (1995). |
| | O42 Araki, H., et al., "Longitudinal Propagation of Contraction in the Isolated Conduit Coronary Arteries of Humans and Pigs," <i>Circulation Research</i> 64(4):734-741 (1989). |
| | O43 Berkenboom, G., et al., "Atherosclerosis and responses of human isolated coronary arteries to endothelium-dependent and -independent vasodilators," <i>J. Cardiovasc. Pharmacol.</i> 14:S35-S39 (1989). |
| | O54 Halushka et al., "Thromboxane, Prostaglandin and Leukotriene Receptors," <i>Annu. Rev. Pharm. Tox.</i> 10:213-239 (1989). |
| | O61 Liu, J.J., et al., "Synergistic Effect of Nisoldipine and Nitroglycerin on Human Internal Mammary Artery," <i>J. Pharmacol. Exp. Therapeutics</i> 268(1):434-440 (1994). |
| | O62 Cohen, D.J., et al., "Intraoperative coronary artery spasm successfully treated with nitroglycerin and nifedipine," <i>Annals of Thor Surg</i> 36:97-100 (1983). |
| ↓ | O68 Timmermans et al., "Ridogrel in the Setting of Percutaneous Transluminal Coronary Angioplasty," <i>Am J Cardiol</i> 68:463-466 (1991). |

| | |
|------|--|
| BK | |
| O86 | Golino, P., et al., "Failure of nitroglycerine and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane A ₂ and serotonin as mediators of coronary artery vasoconstriction in vivo," <i>J. Am. Coll. Cardiol.</i> 15:718-726 (1990). |
| O88 | Rosolowsky et al., "Synthesis of Lipxygenase and Epoxygenase Products of Arachidonic Acid by Normal and Stenosed Canine Coronary Arteries," <i>Circulation Research</i> 66:608-621 (1990). |
| O89 | DeCaterina, R., et al., "A Double-blind, Placebo-controlled Study of Ketanserin in Patients with Prinzmetal's Angina," <i>Circulation</i> 69:889-894 (1984). |
| O90 | Golino, P., et al., "Divergent Effects of Serotonin on Coronary-Artery Dimensions and Blood Flow in Patients with Coronary Artherosclerosis and Control Patients," <i>New Engl. J. Med.</i> 324:641-648 (1991). |
| O91 | Golino, P., et al., "Local Effect of Serotonin Released During Coronary Angioplasty," <i>New Engl. J. Med.</i> 330:523-528 (1994). |
| O92 | Golino, P., et al., "Endogenous prostaglandin endoperoxides and prostacyclin modulate and thrombolytic activity of tissue plasminogen activator," <i>J. Clin. Invest.</i> 86:1095-1102 (1990). |
| O93 | Ashton, J.H., et al., "Serotonin S ₂ and Thromboxane A ₂ -Prostaglandin H ₂ Receptor Blockade Provide Protection Against Epinephrine-Induced Cyclic Flow Variations in Severely Narrowed Canine Coronary Arteries," <i>J. Am. Coll. Cardiol.</i> 13:755-763 (1989). |
| O94 | Yao, S., et al., "Combined ADP and Thromboxane A ₂ Antagonism Prevents Cyclic Flow Variations in Stenosed and Endothelium-Injured Arteries in Nonhuman Primates," <i>Circulation</i> 88:2888-2893 (1993). |
| O95 | Yao, S., et al., "Combination of inhibition of thrombosis and blockade of Thromboxane A ₂ synthetase and receptors enhances thrombolysis and delays reocclusion in canine coronary arteries," <i>Circulation</i> 86:1993-1999 (1992). |
| O100 | Iwamoto et al., "Differential Vasorelaxant Effects of K ⁺ -Channel Openers and Ca ²⁺ -Channel Blockers on Canine Isolated Arteries," <i>J. Pharm. Pharmacol.</i> 45:292-297 (1993). |

| | | |
|----|------|---|
| BK | O114 | Podesser, B., et al., "Combined perioperative infusion of nifedipine and metoprolol provides antiischemic and antiarrhythmic protection in patients undergoing elective aortocoronary bypass surgery," <i>Thorac Cardiovasc Surgeon</i> 41:173-179 (1993). |
| | O115 | Hannes, W., et al., "Effect of Peri-Operative Diltiazem on Myocardial Ischaemia and Function in Patients Receiving Mammary Artery Grafts," <i>Europ Heart J</i> 16(1):87-93 (1995). |
| | O116 | Cohen, B.M., et al., "Cocktail attenuation of rotational ablation flow effects (CARAFE) study: pilot," <i>Cathet. Cardiovasc. Diagn. Suppl.</i> 3:69-72 (1996). |
| | O117 | Yao, S.K., et al., "Combined Thrombin Inhibition and Thromboxane A ₂ Synthesis and Receptor Blockade Enhances Thrombolysis and Delays Arterial Reocclusion," <i>Suppl to Journal of the American College of Cardiology, Abstracts 41st Annual Scientific Session</i> 19(3):329A (1992). |
| | O149 | Gyrn, J., et al., "Intra-articular Bupivacaine Plus Adrenoline for Arthroscopic Surgery of the Knee," <i>Acta Anaesthesiol. Scand.</i> 36:643-646 (1992). |
| | O157 | Thomas, et al., "The Direct Perfusion of Surgical Wounds with Local Anaesthetic Solution: An Approach to Postoperative Pain?" <i>Annal R Coll Surg</i> 65:226-229 (1983). |
| | O160 | Kuga, T., et al., "Inhibitory Effects of Aspirin on Coronary Hyperreactivity to Autacoids After Arterial Balloon Injury in Minature Pigs," <i>J. Cardiovasc. Pharmacol.</i> 25:273-281 (1995). |
| | O168 | Yao et al., "ADP and Thromboxane A ₂ Are Important Mediators of Cyclic Flow Variations in Nonhuman Primate Arteries," <i>JACC</i> 21(2):110A (1993) (Abstract only). |
| | O171 | Golino, P., et al., "Inhibition of Neutrophil Adhesion Proteins Reduces Neointimal Hyperplasia Following Arterial Injury in Rabbit Carotid Arteries," <i>Am Heart Assoc, Abstracts 67th Scientific Sessions</i> 90(4)(part 2):I-85 (1994). |
| ↓ | O175 | Reifart, et al., "Randomized Comparison of Angioplasty of Complex Coronary Lesions at a Single Cetner," <i>Circulation</i> 96:91-98 (1997). |

| | |
|------|--|
| BK | |
| O176 | Yao, S.K., et al., "Endogenously Produced EDRF Protects Against Platelet Aggregation and Cyclic Flow variations in Stenosed and Endothelium-Injured Arteries," <i>Suppl to Journal of the American College of Cardiology, Abstracts 41st Annual Scientific Session</i> 19(3):376A (1992). |
| O177 | Liu, M.W., et al., "Intraluminal Alcohol Delivery Reduced Intimal Hyperplasia after Ballon Injury in Pig Coronary Arteries. A Concept of Chemical Atherectomy," <i>Am Heart Assoc, Abstracts 66th Scientific Sessions</i> 88(4)(part 2):I-655 (1993). |
| O178 | Willerson, J.T., et al., "Pretreatment with Antagonists to Thromboxane A ₂ , Serotonin and ADP Reduces Neointimal Proliferation in Canine Coronary Arteries after Endothelial Injury," <i>J. Am. Coll. Cardiol. Incomplete Data</i> :906-32(1994). |
| O179 | Liu, M. et al., "A Preliminary Report of Local Alcohol Delivery for Treatment of Restenosis within Stented Segments After Successful Caorony Angioplasty. The Safety Study of Local Alcohol and Stent Against Restenosis (LASAR) Trial." <i>Joournal of the American College of Cardiology, Abstracts 45th Annual Scientific Session</i> 112A (1996). |
| O183 | Herrman et al., "Pharmacological Approaches to the Prevention of Restenosis Following Angioplasty," <i>Drugs</i> 46:18-52 (1993). |
| O184 | Vahanian et al., "Role of Calcium Channel Blockers in Reducing Acute Ischemia and Preventing Restenosis in PCTA," <i>Drugs</i> 52:9-15 (1996). |
| O185 | Narayanan et al., "Recombinant Hirudin: Initial Observations in Reconstructive Microsurgery," <i>Haemostasis</i> 21:168-171 (1991). |
| O187 | Gibbons, G.H., et al., "Molecular Therapies for Vascular Diseases," <i>Science</i> 272:689-693 (1996). |
| O188 | Jackson, C.L., et al., "Inhibitory effect of calcium antagonists on balloon catheter-induced arterial smooth muscle cell proliferation and lesion size," <i>Atherosclerosis</i> 69:115-122 (1988). |
| O190 | Lefkovits, J., et al., "Pharmacological approaches for the prevention of restenosis after percutaneous coronary intervention," <i>Prog. Cardiovasc. Dis.</i> 40(2):141-158 (1997) (Abstract only). |
| O219 | Allen, G., et al., "Postarthroscopy analgesia with intraarticular bupivacaine/morphine. A randomized clinical trial," <i>Anesthesiology</i> 79:475-480 (1993). |

| | |
|------|--|
| BK | |
| O234 | Bisla, K., et al., "Concentration-dependent effects of lidocaine on corneal epithelial wound healing," <i>Invest Ophthalmol. Vis. Sci.</i> 33:3029-3033 (1992). |
| O238 | Massey, T., et al., "Serum lidocaine levels during arthroscopy using continuous irrigation with lidocaine," <i>Clin. Orthop.</i> 229:182-184 (1988). |
| O239 | Tsai, L., et al., "Arthroscopic surgery of the knee in local anaesthesia. An analysis of age-related pathology," <i>Arch. Orthop. Trauma Surg.</i> 112:136-138 (1993). |
| O242 | Klein, J.A., "Tumescent Liposuction and Improved Postoperative Care Using Tumescent Liposuction Garments," <i>Dermatologic Clinics</i> 13:329-338 (1995). |
| O244 | Klein, J.A., "The Tumescent Technique Anesthesia and Modified Liposuction Technique," <i>Dermatologic Clinics</i> 8:425-437 (1990). |
| O246 | Ostad et al., "Tumescent Anesthesia with a Lidocaine Dose of 55 mg/kg is Safe for Liposuction" <i>Dermatol Surg</i> 22:921-927 (1996). |
| O253 | Wredmark, et al., "Arthroscopy Under Local Anaesthesia Using Controlled Pressure-Irrigation With Prilocaine," <i>J Bone Joint Surg</i> 64:583-585 (1982). |
| O367 | Talke, P., et al., "Effects of perioperative dexmedetomidine infusion in patients undergoing vascular surgery. The Study of Perioperative Ischemia Research Group," <i>Anesthesiology</i> 82:620-633 (1995). |
| O633 | Börsch-Haubold et al., "Direct Inhibition of Cyclooxygenase-1 and -2 by the Kinase Inhibitors SB 203580 and PD 98059," <i>The Journal of Biological Chemistry</i> 273(44):28766-28772 (1998). |
| O842 | Ben-David et al., "Is Preoperative Ketorolac A Useful Adjunct To Regional Anesthesia For Inguinal Herniorrhaphy?" <i>Acta Anaesthesiol Scand</i> 40:358-363 (1996). |
| O843 | Hyrkäs et al., "Effective Postoperative Pain Prevention Through Administration Of Bupivacaine And Diclofenac," <i>Anesth Prog</i> 41:6-10 (1994). |
| O844 | Glasser et al., "The Perioperative Use Of Corticosteroids And Bupivacaine In The Management Of Lumbar Disc Disease," <i>J Neurosurg</i> 78: 383-387 (1993). |

| | | |
|----|-------|--|
| BK | O845 | Dionne et al., "Suppression Of Postoperative Pain By The Combination Of A Nonsteroidal Anti-Inflammatory Drug, Flurbiprofen, And A Long-Acting Local Anesthetic, Etidocaine," <i>JADA</i> 108:598-601 (1984). |
| | O950 | Bult et al., "Isosorbidedinitrate and SIN-1 as Dilators of Human Coronary Arteries and Platelet Inhibitors," <i>Journal of Cardiovascular Pharmacology</i> 25:572-578 (1995). |
| | O971 | Chester et al., "Interaction Between Thromboxane A ₂ and 5-Hydroxytryptamine Receptor Subtypes in Human Coronary Arteries," <i>Circulation</i> 87:874-880 (1993). |
| | O972 | Willerson et al., "Frequency and severity of cyclic flow alternations and platelet aggregation predict the severity of neointimal proliferation following experimental coronary stenosis and endothelial injury," <i>Proc. Natl. Acad. Sci. USA</i> 88:10624-10628 (1991). |
| ↓ | O1505 | Reifert et al., "PTCA of Degenerated Vein Grafts: Experience of Two Periods (1992-93 and 1996-97) in 780 Patients," <i>Indian Heart J</i> 50(Suppl 1):62-66 (1998). |

| | |
|-------------------|-----------------|
| /Brian-Yong Kwon/ | 06/06/2006 |
| Examiner | Date Considered |

*Examiner: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

MSK:sj